




KIANO 20mm

technical specifications kiano collection

yarn type	PE (diamond shape) & PP soft
gauge	3/8"
stitch/10 cm	20
density	21 000 points/m ²
dtex	6 700
pile weight	691 g/m ²
total weight	2 011 g/m ²
pile height	20 mm
backing	UV resistance PP cloth
UV stability: meets DIN 53387 standard (6 000 hours)	
all rights reserved to alter technical specifications	



LUXODEAL S.A.
20, rue Macher
L-5550 REMICH

luxodeal@hotmail.com
+352 661 871 227



ASTER 30mm

technical specifications aster

yarn type	PE (C-shape) & PP (curly yarn)
gauge	3/8"
stitch/10 cm	15
density	15 750 points/m ²
dtex	5 800
pile weight	500 g/m ²
total weight	1 150 g/m ²
pile height	30 mm
backing	UV resistance PP cloth
UV stability	meets DIN 53387 standard (6 000 hours)



LUXODEAL S.A.
20, rue Macher
L-5550 REMICH

luxodeal@hotmail.com
+352 661 871 227



COSMOS 35mm



technical specifications cosmos range

yarn type	PE (C-shape) & PP (curly yarn)
gauge	3/8"
stitch/10 cm	16
density	16 800 points/m ²
dtex	6 200
pile weight	880 g/m ²
total weight	2 080 g/m ²
pile height	35 mm
backing	UV resistance PP cloth & non-woven fabric
UV stability: meets DIN 53387 standard (6 000 hours)	
all rights reserved to alter technical specifications	



LUXODEAL S.A.
20, rue Macher
L-5550 REMICH

luxodeal@hotmail.com
+352 661 871 227



ROSA 40mm

technical specifications rosa collection

yarn type	PE (c-shape) & PP
gauge	5/8"
stitch/10 cm	18
density	11 340 points/m ²
dtex	7 500
pile weight	750 g/m ²
total weight	1 910 g/m ²
pile height	40 mm
backing	UV resistance PP cloth & non woven fabric
UV stability: meets DIN 53387 standard (6 000 hours)	
all rights reserved to alter technical specifications	



LUXODEAL S.A.
20, rue Macher
L-5550 REMICH

luxodeal@hotmail.com
+352 661 871 227



BALM 40mm



technical specifications balm range	
yarn type	PE (flat with stripes) & PP (curly yarn)
gauge	3/8"
stitch/10 cm	25
density	26 250 points/m ²
dtex	7 300
pile weight	1 450 g/m ²
total weight	2 650 g/m ²
pile height	40 mm
backing	UV resistance PP cloth & non-woven fabric
UV stability: meets DIN 53387 standard (6 000 hours)	
all rights reserved to alter technical specifications	



LUXODEAL S.A.
20, rue Macher
L-5550 REMICH

luxodeal@hotmail.com
+352 661 871 227




ALIZEE 40mm



technical specifications alizee recyclable

yarn type	PE (diamond shape) & PP
gauge	3/8"
stitch/10 cm	24
density	25 200 points/m ²
dtex	6 700
pile weight	1 526 g/m ²
total weight	2 846 g/m ²
pile height	40 mm
backing	UV resistance PP cloth & non woven fabric & SBR latex
UV stability: meets DIN 53387 standard (6 000 hours)	
all rights reserved to alter technical specifications	



backing



top view



side view

LUXODEAL S.A.

20, rue Macher
L-5550 REMICH

luxodeal@hotmail.com
+352 661 871 227



ALIZÉE 5088 40mm

yarn type	PE (diamond shape) & PP (curly yarn)
gauge	3/8"
stitch/10 cm	24
density	25 200 points/m ²
dtex	6 700
pile weight	1 530 g/m ²
total weight	2 850 g/m ²
pile height	40 mm
backing	UV resistance PP cloth & non-woven fabric
UV stability	meets DIN 53387 standard (6 000 hours)



LUXODEAL S.A.
 20, rue Macher
 L-5550 REMICH

luxodeal@hotmail.com
 +352 661 871 227



VERONICA 45 mm

technical specifications veronica

yarn type	5 tone, PE (C-shape) & PP (monofilament mix)
gauge	1/2"
stitch/10 cm	18
density	14 166 points/m ²
dtex	12 500
pile weight	1 760 g/m ²
total weight	3 100 g/m ²
pile height	45 mm
backing	double UV resistance PP cloth
UV stability	meets DIN 53387 standard (6 000 hours)



yarn types: → multi-shape yarn
 PE: C-shape & PP: monofilament mix

water permeability: 60 liter/m²

UV resistance: 8 years

density: 14 166 points/m²

total weight: 3100 g/m²

backing: double UV resistance PP cloth

pile height: 45 mm

length available: 25 m

widths available: 1, 2, 3, 4, 5 m

all rights reserved to alter technical specifications

LUXODEAL S.A.
 20, rue Macher
 L-5550 REMICH

luxodeal@hotmail.com
 +352 661 871 227



LIANA 48mm

Technical specifications liana range

yarn type	PE (spined + flat shape) & PP
gauge	5/8
stitch/10 cm	18
density	11 340 points/m ²
dtex	13 200
pile weight	1610 g/m ²
total weight	2 870 g/m ²
pile height	48 mm
backing	UV resistance Ppcloth & non-woven fabric
UV stability: meets DIN 53387 standard (6 000 hours)	
all rights reserved to alter technical specifications	



LUXODEAL S.A.
20, rue Macher
L-5550 REMICH

luxodeal@hotmail.com
+352 661 871 227




MARIGOLD 50mm

technical specifications marigold

yarn type	PE (diamond shape) & PP (curly yarn)
gauge	5/16"
stitch/10 cm	22
density	27 720 points/m ²
dtex	8 000
pile weight	2 400 g/m ²
total weight	3 600 g/m ²
pile height	50 mm
backing	double UV resistance PP cloth
UV stability	meets DIN 53387 standard (6 000 hours)



infinitygrass technical specifications marigold



LUXODEAL S.A.
 20, rue Macher
 L-5550 REMICH


luxodeal@hotmail.com
 +352 661 871 227



ROMANCE 53mm

technical specifications kiano collection

yarn type	PE (diamond shape) & PP soft
gauge	3/8"
stitch/10 cm	20
density	21 000 points/m ²
dtex	6 700
pile weight	691 g/m ²
total weight	2 011 g/m ²
pile height	20 mm
backing	UV resistance PP cloth
UV stability: meets DIN 53387 standard (6 000 hours)	
all rights reserved to alter technical specifications	



LUXODEAL S.A.
20, rue Macher
L-5550 REMICH

luxodeal@hotmail.com
+352 661 871 227